

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("20030145224").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/31 06:39
S2	2	(decoy adj (secret authenticator password))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 06:15
S3	111	((replace substitut\$3) adj (secret authenticator password))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 15:22
S4	158	((replac\$3 substitut\$3) adj (secret authenticator password))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 15:22
S5	100	@ad<"20020128" and ((replac\$3 substitut\$3) adj (secret authenticator password))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 15:24
S7	5	@ad<"20020128" and ((replac\$3 substitut\$3) adj (secret authenticator password)) and (intru\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 15:26
S8	68	@ad<"20020128" and ((replac\$3 substitut\$3) adj (authenticator password))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 15:26
S9	11	@ad<"20020128" and ((replac\$3 substitut\$3) adj (authenticator password)) and (password near2 (database list))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 15:31
S10	17	@ad<"20020128" and ((replac\$3 substitut\$3) adj (authenticator password)) and (password near2 (database list file))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 15:31
S11	2	@ad<"20020128" and ((replac\$3 substitut\$3) adj (secret authenticator password)) and (intru\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 06:13
S12	0	(decoy adj (passphrase))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 06:15
S13	463	(decoy fake imposter substitute) near2 (pass\$6 authenticator)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 06:41
S14	110	(decoy fake imposter substitute) adj (pass\$6 authenticator)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 06:41
S15	81	@ad<"20020128" and (decoy fake imposter substitute) adj (pass\$6 authenticator)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 06:44
S16	32	@ad<"20020128" and (decoy fake imposter substitute) adj (pass password passphrase authenticator)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 09:46
S17	32	@ad<"20020128" and (decoy fake imposter substitute) adj (pass password passcode passphrase authenticator)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 06:44
S18	11	("5485519" "5488661" "5533126" "5604801" "5608801" "5710817" "5719941" "5781629" "5796827" "5835595" "6081893").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/31 06:55

S19	3	((("5,768,373") or ("5,953,419") or ("5,699,428"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/31 07:08
S20	1403	(713/183,202).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/31 07:09
S21	6	S20 and decoy	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 07:11
S22	73	S20 and (password near2 (map\$4 substitut\$3 replac\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 07:21
S23	13	"temporary global passwords"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 08:15
S39	1	713/157.ccls. and gasser.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 09:03
S40	174	man adj middle	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 09:03
S41	5	(man adj middle) same password	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 09:07
S42	8	("5081677" "5491752" "5774650" "5778065" "5841871" "6014085" "6161185" "6263369").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 10:06
S43	221	intercept\$3 near3 password	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 10:46
S44	6	(intercept\$3 near3 password) with forward\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 10:58
S45	4	central\$4 near2 authenticat\$3) same (local with log\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 11:15
S46	1774	(server with stor\$3 with (cookie ticket))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 11:15
S47	253	(server near2 stor\$3 near2 (cookie ticket))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 11:15
S48	157	@ad<"20020128" and (server near2 stor\$3 near2 (cookie ticket))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 11:16
S49	157	@ad<"20020128" and (server near2 stor\$3 near2 (cookie ticket))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 11:20
S50	44	nilsson-mikael\$.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 11:20

S51	Full (2)	nilsson-mikael\$.in. and cookie	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 11:21
S52	405	password with proxy	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 11:21
S53	Full (3)	password with proxy with anonymous	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 14:51
S56	ABS + Kwik (22)	@ad<"20020128" and (password with (local adj computer) with access)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 09:56
S57	0	@ad<"20020128" and password same ((local adj computer) with (log adj on))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 09:53
S58	0	@ad<"20020128" and password same ((local adj computer) with (log\$3 adj on))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 09:54
S59	0	@ad<"20020128" and password same ((local adj computer) with (log\$4 adj on))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 09:54
S60	ABS + Kwik (47)	@ad<"20020128" and password same ((local adj computer) with (access\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 09:54
S61	25	S60 not S56	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 09:54
S62	ABS (67)	@ad<"20020128" and (password same (local) same access same compar\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 09:57
S63	ABS + Kwik (31)	@ad<"20020128" and (password same (local) same access same compar\$4 same (file database))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 09:57
S64	Full (10)	@ad<"20020128" and (password same (local) same access same compar\$4 same (file database) same log\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 09:57
S65	Kwik (8)	(local\$2 with password adj file)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 10:06
S66	Kwik (14)	(local\$2 with password adj (file list database))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 10:06
S67	Kwik (6)	(local\$2 with password adj (file list database)) and (proxy)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 10:06
S68	6	(local\$2 with password adj (file list database)) and (proxy\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 10:08
S69	0	(local\$2 with password adj (file list database)) same disconnect\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 10:09
S70	305	(local\$2 adj authenticat\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 10:10

S71	<i>Full</i>	<i>3</i>	((local\$2 adj authenticat\$3) same disconnect\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 10:12
S72	<i>ABS + kill</i>	<i>26</i>	((remote network) adj authenticat\$3) same disconnect\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 10:12
S73	<i>kill</i>	<i>40</i>	((local\$2 with authenticat\$3) same disconnect\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 10:12
S74	<i>kill</i>	<i>4</i>	((local\$2 with authenticat\$3) same disconnect\$3 same (cache\$3 backup)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 10:12
S75	<i>ABS</i>	<i>13</i>	porras.in. and (intrusion adj detection)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 11:22

10057157
Michael J. Simitoski
Michael.Simitoski@uspto.gov
(571) 272-3841

Google

decoy password

ACM

Other

Search tool

Search Terms

Inventor Search performed: (the following, if any, found particularly relevant)